

Half Yearly Compliance Report**2025****01 Jun(01 Oct - 31 Mar)****Acknowledgement**

Proposal Name	Proposed expansion project for manufacturing of chemical intermediates & speciality chemicals Multi Organics Pvt. Ltd. At Plot No. A-1, MIDC Industrial Area, Ghuggus Road, Padoli, Taluka & District Chandrapur, Maharashtra 442 406.		
Name of Entity / Corporate Office	Govinda B. Jichkar		
Village(s)	Chichala		
District	CHANDRAPUR		
Proposal No.	SEIAA-EC-0000002097	Category	Industrial Projects - 3
Plot / Survey / Khasra No.	Plot No. A-1, MIDC Industrial Area, Ghuggus Road, Padoli	Sub-District	Chandrapur
State	MAHARASHTRA	Entity's PAN	*****4507D
MoEF File No.	SEIAA-EC-0000002097	Entity name as per PAN	MULTI ORGANICS PRIVATE LIMITED

Compliance Reporting Details

Reporting Year	2025
Remarks (if any)	Uploading Six Monthly EC Compliance Report for the period October 2024 to March 2025.
Reporting Period	01 Jun(01 Oct - 31 Mar)

Details of Production and Project Area

Name of Entity / Corporate Office Govinda B. Jichkar

	Project Area as per EC Granted	Actual Project Area in Possession
Private	2.0235	2.0235
Revenue Land	0	0
Forest	0	0
Others	0	0
Total	2.0235	2.0235

Production Capacity

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	Beta Naphthol	Tons per Annum (TPA)	28/02/2026	10800 TPA	3078.050 TPA	9000 TPA
2	Alpha Naphthol	Tons per Annum (TPA)	28/02/2026	3000 TPA	670.950 TPA	2280 TPA
3	Sodium Sulphite	Tons per Annum (TPA)	28/02/2026	15000 TPA	4042.500 TPA	11765 TPA
4	Sodium Sulphate	Tons per Annum (TPA)	28/02/2026	7500 TPA	1577.478 TPA	6000 TPA
5	Tar	Tons per Annum (TPA)	28/02/2026	1920 TPA	220.200 TPA	1385 TPA

Conditions

Specific Conditions

Sr.No.	Condition Type	Condition Details
1	ENERGY PRESERVATION MEASURES	PP to explore possibility to convert waste steam generated from pressure reducing valve into the energy.
<p>PPs Submission: Complied</p> <p>The detailed report on the feasibility of converting waste steam generated from the pressure reducing valve into energy was submitted as an annexure in the previous six-monthly compliance report for the period October 2023 to March 2024, which was uploaded on the Parivesh portal on 18.05.2024.</p>		Date: 09/05/2025
2	Human Health Environment	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act
<p>PPs Submission: Complied</p> <p>Various proactive measures have been implemented to ensure the health and safety of personnel working in the factory, as well as to protect the surrounding environment. These measures includes Establishment of an Occupational Health Centre and a Medical Check-up Room within the premises. First aid boxes have been strategically placed at multiple locations to enhance emergency readiness in the event of minor injuries or incidents. Safety showers and eye washers have been installed at several critical points across the facility, providing immediate access to decontamination in case of accidental exposure to hazardous materials, thereby significantly reducing the risk of serious injury. In addition, routine medical examinations are conducted for all employees on an annual basis to monitor their health and ensure early detection of occupational health issues. The Form VII is enclosed herewith as Annexure-VI.</p>		Date: 09/05/2025
3	Statutory compliance	PP to submit ash balance calculations along with MoU made with different agencies. PP also to submit undertaking for not disposing any waste ash outside the premises without permission from the competent Authority.
<p>PPs Submission: Complied</p> <p>Ash balance calculations, along with copies of the MoUs executed with various agencies, sample receipts of ash supplied, and an abstract of ash dispatches for the period October 2024 to March 2025, are enclosed as Annexure-I.</p>		Date: 09/05/2025

4	AIR QUALITY MONITORING AND PRESERVATION	At few places ambient air parameters PM10 & 2.5 is exceeding the limits including the proposed site. PP to carry out random air sampling in the study area to identify the potential particulate matter source till the project site and submit the findings.
<p>PPs Submission: Complied</p> <p>The random air monitoring sampling was carried out at 4 locations for the month of January and February 2025. The ambient air quality monitoring was carried out at project site, Morwa village, Chinchala village and Wadgaon village. The ranges of some of the parameters are as under: PM10: 81.96 Micro gram per meter cube (Wadgaon Village) to 91.01 Micro gram per meter cube (at project site main gate) PM2.5: 36.38 Micro gram per meter cube (Morwa village) to 43.93 Micro gram per meter cube (Chinchala Village) SO2: 11.02 Micro gram per meter cube (Morwa Village) to 26.43 Micro gram per meter cube (at project site main gate) NO2: 10.94 Micro gram per meter cube (Wadgaon village) to 28.25 Micro gram per meter cube (at project site main gate) The random air sampling done at above village and the results are found to be within NAAQS standard. During other season It was also found that the main source of SO2 and NO2 in the study area is due to the presence of coal mining and thermal power plant near Chandrapur and not due to the existing project activity. The result for air monitoring is attached as Annexure-II.</p>		Date: 09/05/2025
5	Corporate Environmental Responsibility	PP to implement CER plan in consultation with the District Authority as per OM issued by MoEF & CC dated 01.05.2018
<p>PPs Submission: Complied</p> <p>CER plan has been prepared as per the guidelines given in the MoEF and CC OM No 22-65/2017-IA.III dated 01.05.2018 to implement CER plan in consultation with District Authority. We have been provided different facilities under CER to nearby villages spent 21.50 Lacs rupees for CER. Those CER activities are successfully completed. The Photographs of CER activities are enclosed as an Annexure-III.</p>		Date: 09/05/2025
6	Statutory compliance	PP to submit a bank guarantee of Rs. 153.75 lakhs to Maharashtra Pollution Control Board towards effective implementation of the EMP comprising remediation plan and Natural and Community Resource Augmentation Plan
<p>PPs Submission: Complied</p> <p>We have submitted a bank guarantee of Rs. 153.75 lakhs to Maharashtra Pollution Control Board. After that we have implemented remediation plan and Natural and Community Resource Augmentation Plan in various villages. Then we have requested to Member Secretary of SEIAA for site inspection Report of activities proposed under remediation plan and Natural and Community Resource Augmentation Plan as part of EC granted by SEIAA, Maharashtra for release of the Bank guarantee. The site visit letter of the same along with the Bank guarantee submitted to MPCB and Details regarding remediation plan and Natural and Community Resource augmentation has been already submitted in the previous EC Compliance report of the period October 2022 to March 2023.</p>		Date: 09/05/2025
7	Corporate Environmental Responsibility	PP to submit CER as applicable as per MOEF & CC circular dated 1.5.2018 in consultation with Municipal Corporation.
<p>PPs Submission: Complied</p> <p>A Corporate Environment Responsibility (CER) plan has been prepared in accordance with the guidelines outlined in the Ministry of Environment, Forest and Climate Change (MoEF and CC) Office Memorandum No. 22-65/2017-IA.III dated 01.05.2018. The plan was implemented in consultation with the concerned District Authority. Under the CER initiative, various facilities and services have been provided to nearby villages, with a total expenditure of Rupees 21.50 lakhs. All planned CER activities have been successfully completed. Photographic evidence of these activities is enclosed as Annexure-III.</p>		Date: 09/05/2025
8	Statutory compliance	PP to ensure to comply with the conditions stipulated in the Office Memorandum issued by MoEF & CC dated 9th August, 2018.
<p>PPs Submission: Complied</p>		Date:

A separate compliance matrix of the conditions stipulated in the Office Memorandum issued by MoEF and CC dated 9th August 2018 has been prepared and presented in the subsequent pages.		09/05/2025
9	Statutory compliance	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
PPs Submission: Complied Not applicable as not forest land involved in the project site.		Date: 09/05/2025
10	Statutory compliance	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable
PPs Submission: Complied Not applicable.		Date: 09/05/2025
11	Statutory compliance	The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (in case of the presence of schedule-1 species in the study area)
PPs Submission: Complied Not applicable as no schedule -1 species were reported in the study area.		Date: 09/05/2025
12	Statutory compliance	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee
PPs Submission: Complied We have obtained the Consent to Establish vide MPCB document no. Format1.0/CC/UAN No.0000143042/CE/2312000861 dt.08.12.2023 for Grant of Amendment in Consent to Establish for Automation of Existing Manual plant, Effluent Processing Plant revamping/ replacement, Utility Revamping, Modernization of Engineering workshop, Safety improvement at the Site and Admin Building Renovation, without increase in existing production capacity under RED/LSI. The consent to establish is granted for a period up to commissioning of the unit or up to 26/12/2027 whichever is earlier. The CTE is enclosed as Annexure- XV.		Date: 09/05/2025
13	WASTE MANAGEMENT	The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.
PPs Submission: Complied Multi organics Pvt. Ltd Industries Ltd has taken membership of the CHWTSDf being operated by Maharashtra Enviro Power Ltd and valid till 11.03.2028. The same is enclosed as Annexure - XVI.		Date: 09/05/2025
14	WASTE MANAGEMENT	The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989
PPs Submission: Complied		Date:

We are strictly complying with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All the transportation of the Hazardous Chemicals is as per the Motor Vehicle Act (MVA), 1989.		09/05/2025
15	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
PPs Submission: Complied We have installed 24x7 continuous emission monitoring system at boiler and thermic fluid stacks and is connected to SPCB and CPCB online servers. The Screen shot of OCMS readings are enclosed as an Annexure-XVII.		Date: 09/05/2025
16	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act, 1986
PPs Submission: Complied Fugitive emissions monitoring has been carried out. The results of emission near Fusion plot 2nd floor are given below: HCL- 0.41 microgram per meter cube. Ammonia - 0.04 ppm The detailed analysis reports of the stack fugitive emissions are enclosed as Annexure- II		Date: 09/05/2025
17	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. P-Mio and PM2.5 in reference to PM emission, and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120 each), covering upwind and downwind directions.
PPs Submission: Complied The random air monitoring sampling was carried out at 4 locations for the month of January and February 2025. The ambient air quality monitoring was carried out at project site, Morwa village, Chinchala village and Wadgaon village. The ranges of some of the parameters are as under: PM10: 81.96 Micro gram per meter cube (Wadgaon Village) to 91.01 Micro gram per meter cube (at project site main gate) PM2.5: 36.38 Micro gram per meter cube (Morwa village) to 43.93 Micro gram per meter cube (Chinchala Village) SO2: 11.02 Micro gram per meter cube (Morwa Village) to 26.43Micro gram per meter cube(at project site main gate) NO2: 10.94 Micro gram per meter cube (Wadgaon village) to 28.25Micro gram per meter cube (at project site main gate) The random air sampling done at above village and the results are found to be within NAAQS standard. During other season It was also found that the main source of SO2 and NO2 in the study area is due to the presence of coal mining and thermal power plant near Chandrapur and not due to the existing project activity. The result for air monitoring is attached as Annexure-II.		Date: 09/05/2025
18	AIR QUALITY MONITORING AND PRESERVATION	To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. Sulphur content should not exceed 0.5% in the coal for use in coal fired boilers to control particulate emissions within permissible limits (as applicable). The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.
PPs Submission: Complied To control the fugitive emission, we have provided multi cyclone followed by bag filter to the boiler and thermo pack. as the coal is the main fuel.		Date: 09/05/2025

19	AIR QUALITY MONITORING AND PRESERVATION	Storage of raw materials, coal etc. shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.
PPs Submission: Complied The raw materials are being stored in the ware house and storage tanks. The photographs of the ware house and storage tanks were submitted in previous six monthly EC Compliance Report.		Date: 09/05/2025
20	AIR QUALITY MONITORING AND PRESERVATION	National Emission Standards for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R. 608(E) dated 21st July, 2010 and amended from time to time shall be followed
PPs Submission: Complied The National Emission Standards for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R. 608(E) dated 21st July, 2010 and amended from time to time are being followed.		Date: 09/05/2025
21	AIR QUALITY MONITORING AND PRESERVATION	The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be complied with
PPs Submission: Complied The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 are being complied with.		Date: 09/05/2025
22	WATER QUALITY MONITORING AND PRESERVATION	The project proponent shall provide online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises (applicable in case of the projects achieving ZLD)
PPs Submission: Complied We have provided online continuous monitoring of system along with flow meters, pH, COD, BOD, TDS Meter in the channel /drain carrying effluent within the premises. The OCMS screenshots are enclosed as an Annexure-XVII.		Date: 09/05/2025
23	WATER QUALITY MONITORING AND PRESERVATION	As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises (applicable in case of the projects achieving the ZLD). The effluent discharge shall conform to the standards prescribed under the Environment (Protection) Rules, 1986, or as specified by the State Pollution Control Board while granting Consent under the Air/Water Act, whichever is more stringent.
PPs Submission: Complied Effluent is generated from three major sources: industrial processing (15 CMD), washing (4 CMD), and the cooling tower and boiler (26 CMD), totalling 45 CMD. This effluent is treated in the Effluent Treatment Plant (ETP). The tertiary treated effluent (45 CMD) is then directed to the Reverse Osmosis (RO) system. The RO permeate (36 CMD) is recycled and reused, while the RO reject (9 CMD) is sent to the Multi-Effect Evaporator (MEE) for further treatment. The salts generated from the MEE process are subsequently sent to a sulfate recovery plant for treatment and recovery of sodium sulfate. As a result, the unit operates as a complete Zero Liquid Discharge (ZLD) system. This efficient approach not only conserves water but also minimizes the environmental impact by ensuring that all wastewater is effectively treated and reused. The analysis reports of ETP are enclosed as an Annexure-II		Date: 09/05/2025
24	WATER QUALITY MONITORING AND PRESERVATION	Total fresh water requirement shall not exceed the proposed quantity or as specified by the Committee. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard.

<p>PPs Submission: Complied</p> <p>The total fresh water requirement will not exceed the proposed quantity. The water bills for the consumption from period October 2024 to March 2025 are enclosed as Annexure- XVIII.</p>		<p>Date: 09/05/2025</p>
25	<p>WATER QUALITY MONITORING AND PRESERVATION</p>	<p>Process effluent/any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system.</p>
<p>PPs Submission: Complied</p> <p>Separate effluent lines and storm water drains have been installed at the factory premises to prevent the mixing of effluent with storm water. The effluent is carried through dedicated pipelines, while slopes have been provided for efficient storm water drainage. Photographs of the separate drainage systems were submitted as an Annexure in previous six monthly EC Compliance Report.</p>		<p>Date: 09/05/2025</p>
26	<p>WATER QUALITY MONITORING AND PRESERVATION</p>	<p>The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial operations within the plant</p>
<p>PPs Submission: Complied</p> <p>Two rainwater harvesting tanks, with capacities of 100 KL and 10 KL, have been installed at the factory site. The harvested rainwater is being used for recharging the groundwater table. Photographs of the rainwater harvesting system were submitted as an annexure in the previous EC Compliance Report for the period from October 2023 to March 2024, which was uploaded on the MoEF and CC portal on 18.05.2024.</p>		<p>Date: 09/05/2025</p>
27	<p>AIR QUALITY MONITORING AND PRESERVATION</p>	<p>The DG sets shall be equipped with suitable pollution control devices and the adequate stack height so that the emissions are in conformity with the extant regulations and the guidelines in this regard.</p>
<p>PPs Submission: Complied</p> <p>Adequate stack heights have been provided for the D.G. sets to ensure proper dispersion of emissions. For example, a stack height of 9 meters has been provided for the 320 KVA D.G. set, and a stack height of 6.5 meters has been provided for the 100 KVA D.G. set</p>		<p>Date: 09/05/2025</p>
28	<p>Noise Monitoring & Prevention</p>	<p>Acoustic enclosure shall be provided to DG set for controlling the noise pollution.</p>
<p>PPs Submission: Complied</p> <p>Acoustic enclosures for the D.G sets have been provided.</p>		<p>Date: 09/05/2025</p>
29	<p>Noise Monitoring & Prevention</p>	<p>The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation</p>
<p>PPs Submission: Complied</p> <p>The ambient noise levels were monitored at 4 locations mainly Near Main Gate, Near Boiler Area, Near ETP area and Near utility area and the same ranged between 61.8 dB (A) (Near Main gate) to 67.5 (Near Boiler area) during the day time and 56.0 dB(A) (Near Main gate) to 64.0 (Near Boiler area) during the night time were and found to be within the stipulated limit for the industrial area (75 dB(A)) as promulgated by CPCB. Personal protective equipment like earplugs, earmuff etc. has been already provided to people working in the high noise area. The noise monitoring reports are enclosed as Annexure- II.</p>		<p>Date: 09/05/2025</p>
30	<p>Noise Monitoring & Prevention</p>	<p>The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time</p>

<p>PPs Submission: Complied The ambient noise levels were monitored at 4 locations mainly Near Main Gate, Near Boiler Area, Near ETP area and Near utility area and the same ranged between 61.8 dB (A) (Near Main gate) to 67.5 (Near Boiler area) during the day time and 56.0 dB(A) (Near Main gate) to 64.0 (Near Boiler area) during the night time were and found to be within the stipulated limit for the industrial area (75 dB(A)) as promulgated by CPCB. Personal protective equipment like earplugs, earmuff etc. has been already provided to people working in the high noise area. The noise monitoring reports are enclosed as Annexure- II.</p>		<p>Date: 09/05/2025</p>
31	ENERGY PRESERVATION MEASURES	The energy sources for lighting purposes shall preferably be LED based
<p>PPs Submission: Complied Plant lighting and street lights are provided with LED bulbs.</p>		<p>Date: 09/05/2025</p>
32	WASTE MANAGEMENT	Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.
<p>PPs Submission: Complied The hazardous chemicals are currently being stored in tanks. The photographs of the storage arrangements has been already submitted in previous six monthly EC Compliance report for the period April 2024 to September 2024.</p>		<p>Date: 09/05/2025</p>
33	WASTE MANAGEMENT	Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF.
<p>PPs Submission: Complied Multi organics Pvt. Ltd Industries Ltd has taken membership of the CHWTSDF being operated by Maharashtra Enviro Power Ltd and valid till 11.03.2028. The same is enclosed as Annexure - XVI.</p>		<p>Date: 09/05/2025</p>
34	WASTE MANAGEMENT	The company shall undertake waste minimization measures as below: - Metering and control of quantities of active ingredients to minimize waste. Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. Use of automated filling to minimize spillage. Use of Close Feed system into batch reactors. Venting equipment through vapour recovery system Use of high pressure hoses for equipment clearing to reduce wastewater generation
<p>PPs Submission: Complied A write-up on the process improvements is enclosed as an Annexure-XX.</p>		<p>Date: 09/05/2025</p>
35	GREENBELT	The green belt of 5-10 m width shall be developed in more than 33% of the total project area, mainly along the plant periphery, in downward wind direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department
<p>PPs Submission: Complied We have developed 15.10 percent of the green belt within the project plot. The remaining green belt area has been provided on plots No. C-19, C-14, and OS-09, which are in possession of Multi Organics Pvt. Ltd. With this, the total green belt area has been developed in accordance with the Environmental Clearance (EC) conditions. The total green belt area developed and maintained exceeds 33 percent, and a substantial plantation has been carried out across these three adjacent plots. Photographs of the newly developed green belt and the No Objection Certificate (NOC) from MIDC Chandrapur were submitted in the previous EC Compliance Report for the period from</p>		<p>Date: 09/05/2025</p>

October 2023 to March 2024, which was uploaded on the MoEF and CC portal on 18.05.2024.		
36	Human Health Environment	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented
<p>PPs Submission: Complied</p> <p>SOPs based on the recommendations of HAZOP and risk assessment report is being implemented in due course of time in the factory. The responsibility matrix of personnel with target dates for the implementation of the various recommendations of the HAZOP and risk assessment study had been submitted in previous EC Compliance report for the period October 2023 to March 2024 which was submitted on portal of MoEF and CC dated 18.05.2024.</p>		Date: 09/05/2025
37	Human Health Environment	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms
<p>PPs Submission: Complied</p> <p>Adequate measures have been implemented to contain the risk zone within the plant boundary and effectively counter fire hazards during manufacturing and material handling processes. These measures include the installation of fire hydrants, fire hoses, a foam mobile unit, and the deployment of 45 fire extinguishers throughout the factory premises. In addition, regular fire safety training sessions are conducted to ensure preparedness and awareness among personnel. Photographs of these fire safety provisions are enclosed as an Annexure-VII.</p>		Date: 09/05/2025
38	Human Health Environment	The PP shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
<p>PPs Submission: Complied</p> <p>Various measures have been implemented to ensure the health and safety of personnel working at the factory, Personal Protective Equipment (PPE) such as safety goggles, splash protection goggles, face shields, and airline respirators are provided to personnel engaged in different tasks across the factory. These safety measures not only ensure the well-being of employees but also promote a culture of safety and responsibility within the organization. Photographs of these above mentioned facilities has been submitted in previous six monthly EC Compliance Report for the period April 2024 to September 2024 .</p>		Date: 09/05/2025
39	Human Health Environment	The PP shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
<p>PPs Submission: Complied</p> <p>Various measures have been implemented to ensure the health and safety of personnel working at the factory, Personal Protective Equipment (PPE) such as safety goggles, splash protection goggles, face shields, and airline respirators are provided to personnel engaged in different tasks across the factory. These safety measures not only ensure the well-being of employees but also promote a culture of safety and responsibility within the organization. Photographs of these above mentioned facilities has been submitted in previous six monthly EC Compliance Report for the period April 2024 to September 2024 .</p>		Date: 09/05/2025
40	Human Health Environment	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
<p>PPs Submission: Complied</p> <p>Periodic health check-ups of employees and workers are being conducted to ensure their medical fitness. The records of these health check-ups are maintained in Form VII, in compliance with statutory requirements. A copy of Form VII is enclosed as Annexure-VI. Regular training sessions</p>		Date: 09/05/2025

<p>are being conducted for all employees on the safety and health aspects related to chemical handling. The training records are enclosed as Annexure-XIX. Mock drills are being conducted on a regular basis to ensure preparedness for emergency situations. A detailed report of the recent mock drills is enclosed as Annexure-IX. Additionally, a Safety Audit has been carried out in compliance with applicable requirements.</p>		
41	Human Health Environment	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
<p>PPs Submission: Complied Adequate provisions have been made for the construction labour within the site such as mobile toilets, safe drinking water etc. among other necessary arrangements.</p>		Date: 09/05/2025
42	Human Health Environment	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places
<p>PPs Submission: Complied Adequate parking space, totalling 2151 sq.m, has been provided within the premises, which constitutes 10.63 percent of the total plot area. Dedicated areas have been earmarked inside the plant premises for the parking of vehicles transporting raw materials and finished products. No vehicle is parked outside the premises or on public roads, thereby ensuring smooth traffic flow and compliance with regulatory norms. Photographs of the designated parking areas were submitted in previous six monthly EC Compliance report.</p>		Date: 09/05/2025
43	Corporate Environmental Responsibility	The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.111 dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.
<p>PPs Submission: Complied CER plan has been prepared as per the guidelines given in the MoEF and CC OM No 22-65/2017-IA.III dated 01.05.2018 to implement CER plan in consultation with District Authority. We have been provided different facilities under CER to nearby villages spent 21.50 Lacs rupees for CER. Those CER activities are successfully completed. The Photographs of CER activities are enclosed as an Annexure-III.</p>		Date: 09/05/2025
44	Corporate Environmental Responsibility	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest /wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report
<p>PPs Submission: Complied We have well laid down EHS policy and the same is enclosed as Annexure - XXI.</p>		Date: 09/05/2025
45	Corporate Environmental Responsibility	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization

<p>PPs Submission: Complied The organogram of the Environmental Management Cell has been enclosed as Annexure- X.</p>		<p>Date: 09/05/2025</p>
46	Corporate Environmental Responsibility	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
<p>PPs Submission: Complied The organogram of the Environmental Management Cell has been enclosed as Annexure- X. Total environmental budget is 1.48 cr. 1.0192 Cr being utilized for installation Air Pollution Control Equipment -Bag Filter and STP. Total 1.35 Cr. Had been utilized for EMP budget. Purchase Order for SO2 Detector gave to Vendor. The recurring cost for the year 24-25 is 9.93 Lakhs. The EMP budget allocation cost is enclosed as an Annexure-XI.</p>		<p>Date: 09/05/2025</p>
47	Human Health Environment	Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
<p>PPs Submission: Being Complied Environmental audit is being conducted annually conducted by third party. The summary environment Audit Report had been submitted in previous EC Compliance report for the period October 2023 to March 2024 which was submitted on portal of MoEF and CC dated 18.05.2024.</p>		<p>Date: 09/05/2025</p>
48	MISCELLANEOUS	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
<p>PPs Submission: Complied The advertisement related to the accordance of the environmental clearance was published in two newspapers viz., Lokmat on 8th February 2020 and in The Hitvada on 8th February 2020. The aforesaid advertisements were submitted as an Annexure in previous six monthly Ec Compliance Report.</p>		<p>Date: 09/05/2025</p>
49	MISCELLANEOUS	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt
<p>PPs Submission: Complied No representations were received from the concerned Municipal Corporation and the local NGO while processing the proposal. The clearance letter will be put on the website of the company. The link for the same is given below :- https://multiorganics.com/compliances/ec</p>		<p>Date: 09/05/2025</p>
50	MISCELLANEOUS	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
<p>PPs Submission: Complied This is the tenth six monthly compliances being submitted. We will shortly upload the status of</p>		<p>Date:</p>

compliance of the stipulated environment clearance conditions, including results of monitored data on our website and update the same on half-yearly basis.		09/05/2025
51	MISCELLANEOUS	The project proponent shall monitor the criteria pollutants level namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
<p>PPs Submission: Complied</p> <p>The random air monitoring sampling was carried out at 4 locations for the month of January and February 2025. The ambient air quality monitoring was carried out at project site, Morwa village, Chinchala village and Wadgaon village. The ranges of some of the parameters are as under: PM10: 81.96 Microgram per meter cube (Wadgaon Village) to 91.01 Microgram per meter cube (at project site main gate) PM2.5: 36.38 Microgram per meter cube (Morwa village) to 43.93 Microgram per meter cube (Chinchala Village) SO2: 11.02 Microgram per meter cube (Morwa Village) to 26.43 Microgram per meter cube (at project site main gate) NO2: 10.94 Microgram per meter cube (Wadgaon village) to 28.25Microgram per meter cube (at project site main gate) The random air sampling done at above village and the results are found to be within NAAQS standard. During other season It was also found that the main source of SO2 and NO2 in the study area is due to the presence of coal mining and thermal power plant near Chandrapur and not due to the existing project activity. The result for air monitoring is attached as Annexure-II.</p>		Date: 09/05/2025
52	MISCELLANEOUS	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
<p>PPs Submission: Complied</p> <p>This is the tenth EC compliance being submitted. We inadvertently missed out to upload previous sixth and seventh six monthly EC Compliance reports on our website. We will shortly upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on our website and update the same on half-yearly basis. Previous six monthly compliances are already submitted to Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. Acknowledgment copy of the same is attached as Annexure XII. It has been uploaded on company website also. The link for the same is given below :- https://multiorganics.com/compliances/ec</p>		Date: 09/05/2025
53	Statutory compliance	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
<p>PPs Submission: Complied</p> <p>The Form-V for the financial year ending 31st March 2024 which was submitted online on 27.09.2024 and enclosed as Annexure- XIV. It has been uploaded on website of the company along with the status of compliance of EC conditions. Link for the same is given below: - https://multiorganics.com/compliances/ec</p>		Date: 09/05/2025
54	Statutory compliance	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
<p>PPs Submission: Complied</p> <p>Noted and agreed.</p>		Date: 09/05/2025
55	Statutory compliance	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government

PPs Submission: Being Complied Noted and agreed.		Date: 09/05/2025
56	Statutory compliance	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
PPs Submission: Being Complied Noted and agreed. We will abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during the presentation to the Expert Appraisal Committee.		Date: 09/05/2025
57	Statutory compliance	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
PPs Submission: Being Complied Noted and agreed.		Date: 09/05/2025
58	Statutory compliance	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
PPs Submission: Being Complied Noted and agreed		Date: 09/05/2025
59	Statutory compliance	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
PPs Submission: Being Complied Noted and agreed.		Date: 09/05/2025
60	Statutory compliance	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
PPs Submission: Being Complied Noted for information and agreed.		Date: 09/05/2025
61	Statutory compliance	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
PPs Submission: Being Complied Noted and agreed.		Date: 09/05/2025
62	Statutory compliance	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the

		subject matter.
PPs Submission: Complied MOPL has obtained PLI copy same is enclosed as an Annexure-XXII.		Date: 09/05/2025
63	Statutory compliance	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
PPs Submission: Complied Noted for information.		Date: 09/05/2025
General Conditions		
Sr.No.	Condition Type	Condition Details
1	Statutory compliance	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
PPs Submission: Complied This is the tenth six monthly compliance report which is being submitted.		Date: 09/05/2025
2	WATER QUALITY MONITORING AND PRESERVATION	PP to achieve Zero Liquid Discharge; PP shall ensure that there is no increase in the effluent load to CETP.
PPs Submission: Complied Effluent is generated from three major sources: industrial processing (15 CMD), washing (4 CMD), and the cooling tower and boiler (26 CMD), totalling 45 CMD. This effluent is treated in the Effluent Treatment Plant (ETP). The tertiary treated effluent (45 CMD) is then directed to the Reverse Osmosis (RO) system. The RO permeate (36 CMD) is recycled and reused, while the RO reject (9 CMD) is sent to the Multi-Effect Evaporator (MEE) for further treatment. The salts generated from the MEE process are subsequently sent to a sulfate recovery plant for treatment and recovery of sodium sulfate. As a result, the unit operates as a complete Zero Liquid Discharge (ZLD) system. This efficient approach not only conserves water but also minimizes the environmental impact by ensuring that all wastewater is effectively treated and reused. The analysis reports of ETP are enclosed as an Annexure-II.		Date: 09/05/2025
3	Statutory compliance	No additional land is being used / has been acquired for any activity. If required necessary permissions will be obtained for the same.
PPs Submission: Complied No additional land is being used / has been acquired for any activity. If required necessary permissions will be obtained for the same.		Date: 09/05/2025
4	Human Health Environment	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment
PPs Submission: Complied Various measures have been implemented to ensure the health and safety of personnel working at the factory, as well as to protect the environment. These include the establishment of an Occupational Health Centre and a check-up room, alongside the provision of first aid boxes at multiple locations to enhance preparedness for minor injuries or emergencies. Safety showers and eye wash stations have also been installed at various points within the facility, providing immediate		Date: 09/05/2025

<p>access to decontamination in the event of exposure to hazardous materials, thereby significantly reducing the risk of injury. Additionally, various Personal Protective Equipment (PPE) such as safety goggles, splash protection goggles, face shields, and airline respirators are provided to personnel engaged in different tasks across the factory. These safety measures not only ensure the well-being of employees but also promote a culture of safety and responsibility within the organization. Photographs of these above mentioned facilities has been submitted in previous six monthly EC Compliance Report for the period April 2024 to September 2024 .</p>		
5	MISCELLANEOUS	Proper Housekeeping programmers shall be implemented
<p>PPs Submission: Complied Housekeeping is well maintained and being implemented strictly to keep project site and work place clean and safe. SOP for housekeeping is also available and enclosed as an Annexure-IV .</p>		Date: 09/05/2025
6	Risk Mitigation and Disaster Management	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieve.
<p>PPs Submission: Complied In the event of the failure of any pollution control system adopted by the unit, the unit will certainly be immediately put out of operation and will not be restarted until the desired efficiency has been achieved.</p>		Date: 09/05/2025
7	AIR QUALITY MONITORING AND PRESERVATION	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable).
<p>PPs Submission: Complied Adequate stack heights have been provided for the D.G. sets to ensure proper dispersion of emissions. For example, a stack height of 9 meters has been provided for the 320 KVA D.G. set, and a stack height of 6.5 meters has been provided for the 100 KVA D.G. set.</p>		Date: 09/05/2025
8	WATER QUALITY MONITORING AND PRESERVATION	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water
<p>PPs Submission: Complied Two rainwater harvesting tanks, with capacities of 100 KL and 10 KL, have been installed at the factory site. The harvested rainwater is being used for recharging the groundwater table. Photographs of the rainwater harvesting system were submitted as an annexure in the previous EC Compliance Report for the period from October 2023 to March 2024, which was uploaded on the MoEF and CC portal on 18.05.2024.</p>		Date: 09/05/2025
9	MISCELLANEOUS	Arrangement shall be made that effluent and storm water does not get mixed.
<p>PPs Submission: Complied Separate effluent lines and storm water drains have been installed at the factory premises to prevent the mixing of effluent with storm water. The effluent is carried through dedicated pipelines, while slopes have been provided for efficient storm water drainage. Photographs of the separate drainage systems were submitted as an Annexure in previous six monthly EC Compliance Report.</p>		Date: 09/05/2025
10	WATER QUALITY MONITORING AND PRESERVATION	Periodic monitoring of ground water shall be undertaken and results analysed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.
<p>PPs Submission: Complied The project is located within the notified MIDC area, and as such, there is no permission for the use of bore wells from the MIDC.</p>		Date: 09/05/2025

11	Noise Monitoring & Prevention	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.
<p>PPs Submission: Complied The ambient noise levels were monitored at 4 locations mainly Near Main Gate, Near Boiler Area, Near ETP area and Near utility area and the same ranged between 61.8 dB (A) (Near Main gate) to 67.5 (Near Boiler area) during the day time and 56.0 dB(A) (Near Main gate) to 64.0 (Near Boiler area) during the night time were and found to be within the stipulated limit for the industrial area (75 dB(A)) as promulgated by CPCB. Personal protective equipment like earplugs, earmuff etc. has been already provided to people working in the high noise area. The noise monitoring reports are enclosed as Annexure- II.</p>		Date: 09/05/2025
12	Noise Monitoring & Prevention	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.
<p>PPs Submission: Complied The ambient noise levels were monitored at 4 locations mainly Near Main Gate, Near Boiler Area, Near ETP area and Near utility area and the same ranged between 61.8 dB (A) (Near Main gate) to 67.5 (Near Boiler area) during the day time and 56.0 dB(A) (Near Main gate) to 64.0 (Near Boiler area) during the night time were and found to be within the stipulated limit for the industrial area (75 dB(A)) as promulgated by CPCB. Personal protective equipment like earplugs, earmuff etc. has been already provided to people working in the high noise area. The noise monitoring reports are enclosed as Annexure- II.</p>		Date: 09/05/2025
13	GREENBELT	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
<p>PPs Submission: Complied We have developed 15.10 percent of the green belt within the project plot. The remaining green belt area has been provided on plots No. C-19, C-14, and OS-09, which are in possession of Multi Organics Pvt. Ltd. With this, the total green belt area has been developed in accordance with the Environmental Clearance (EC) conditions. The total green belt area developed and maintained exceeds 33percent , and a substantial plantation has been carried out across these three adjacent plots. Photographs of the newly developed green belt and the No Objection Certificate (NOC) from MIDC Chandrapur were submitted in the previous EC Compliance Report for the period from October 2023 to March 2024, which was uploaded on the MoEF and CC portal on 18.05.2024.</p>		Date: 09/05/2025
14	Risk Mitigation and Disaster Management	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning
<p>PPs Submission: Complied A separate Standard Operating Procedure (SOP) for accident and incident control is in place. An On-site Emergency Plan has also been prepared and is updated periodically as required. All necessary safety installations have been provided across the facility. Equipment testing is conducted in accordance with the Factories Act, and comprehensive safety training is imparted to all relevant personnel. An adequate firefighting system is in place, comprising fire hydrants, fire hoses, a foam mobile unit, and 45 fire extinguishers strategically located throughout the premises to manage fire hazards effectively. An Occupational Health Centre (OHC) is operational on-site and is supported by a fully equipped ambulance to handle medical emergencies. Safety audits are carried out as per regulatory requirements, and all activities comply with the rules and regulations of the Factories Act. To limit the risk zone within the plant boundary during manufacturing and material handling</p>		Date: 09/05/2025

operations, sufficient fire protection measures have been implemented. Additionally, a portable flammable gas detector is available on-site to ensure early detection of any gas leaks. Photographs of the above-mentioned safety facilities are enclosed as an Annexure-V.		
15	Human Health Environment	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act
<p>PPs Submission: Complied</p> <p>Various measures have been implemented to ensure the health and safety of personnel working at the factory, as well as to protect the environment. These include the establishment of an Occupational Health Centre and a check-up room, alongside the provision of first aid boxes at multiple locations to enhance preparedness for minor injuries or emergencies. Safety showers and eye wash stations have also been installed at various points within the facility, providing immediate access to decontamination in the event of exposure to hazardous materials, thereby significantly reducing the risk of injury. Periodic health check-ups of employees and workers are being conducted to ensure their medical fitness. The records of these health check-ups are maintained in Form VII, in compliance with statutory requirements. A copy of Form VII is enclosed as Annexure-VI. Additionally, various Personal Protective Equipment (PPE) such as safety goggles, splash protection goggles, face shields, and airline respirators are provided to personnel engaged in different tasks across the factory. These safety measures not only ensure the well-being of employees but also promote a culture of safety and responsibility within the organization. Photographs of these above mentioned facilities has been submitted in previous six monthly EC Compliance Report for the period April 2024 to September 2024 .</p>		Date: 09/05/2025
16	Risk Mitigation and Disaster Management	The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
<p>PPs Submission: Complied</p> <p>Adequate measures have been implemented to contain the risk zone within the plant boundary and effectively counter fire hazards during manufacturing and material handling processes. These measures include the installation of fire hydrants, fire hoses, a foam mobile unit, and the deployment of 45 fire extinguishers throughout the factory premises. In addition, regular fire safety training sessions are conducted to ensure preparedness and awareness among personnel. Photographs of these fire safety provisions are enclosed as an Annexure-VII.</p>		Date: 09/05/2025
17	WASTE MANAGEMENT	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.
<p>PPs Submission: Complied</p> <p>Annual returns in Form-4, as required under applicable regulations, are regularly submitted to the Maharashtra Pollution Control Board (MPCB). The most recent submission was made on 28.06.2024. A copy of Form-4 is enclosed as Annexure-VIII.</p>		Date: 09/05/2025
18	Risk Mitigation and Disaster Management	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.
<p>PPs Submission: Complied</p> <p>The mock drills are conducted quarterly for awareness and knowledge enhancement of employees and workers regarding emergencies and safety. Regular mock drills are being conducted for the onsite emergency management plan considering various emergency scenarios. A sample mock drill report which was conducted on 16.12.2024 has been enclosed as Annexure -IX.</p>		Date: 09/05/2025
19	Human Health Environment	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.

<p>PPs Submission: Complied A separate environmental management cell has been established and the organogram for the same is enclosed as Annexure- X.</p>		<p>Date: 09/05/2025</p>
20	Statutory compliance	<p>Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department</p>
<p>PPs Submission: Complied Total environmental budget is 1.48 cr. 1.0192 Cr being utilized for installation Air Pollution Control Equipment -Bag Filter and STP. Total 1.35 Cr. Had been utilized for EMP budget. Purchase Order for SO2 Detector gave to Vendor. The recurring cost for the year 24-25 is 9.93 Lakhs. The EMP budget allocation cost is enclosed as an Annexure-XI.</p>		<p>Date: 09/05/2025</p>
21	Statutory compliance	<p>The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in</p>
<p>PPs Submission: Complied The advertisement related to the accordance of the environmental clearance was published in two newspapers viz., Lokmat on 8th February 2020 and in The Hitvada on 8th February 2020. The aforesaid advertisements were submitted as an Annexure in previous six monthly Ec Compliance Report.</p>		<p>Date: 09/05/2025</p>
22	Statutory compliance	<p>A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.</p>
<p>PPs Submission: Complied No representation from the concerned Municipal Corporation and the local NGO was received. The letter for the same had been attached as an annexure in previous EC Compliance report for the period October 2023 to March 2024 which was submitted on portal of MoEF and CC dated 18.05.2024. and also upload on website. Link for the same is given below: https://multiorganics.com/compliances/ec</p>		<p>Date: 09/05/2025</p>
23	Statutory compliance	<p>The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.</p>
<p>PPs Submission: Complied This is the tenth EC compliance being submitted. We have uploaded the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. Previous sixth six monthly compliances are already submitted to Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. Acknowledgment copy of the same is attached as Annexure - XII The levels of criteria pollutants are being displayed at a conveniently</p>		<p>Date: 09/05/2025</p>

visible location within the premises. Photographs of the display board are enclosed as Annexure-XIII.		
24	Statutory compliance	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
PPs Submission: Complied This is the tenth six monthly compliance report which is being submitted for the period October 2024 to March 2025. Previous sixth six monthly compliances have been already submitted to Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. Acknowledgment copy of the same is attached as Annexure -XII		Date: 09/05/2025
25	Statutory compliance	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
PPs Submission: Complied The Environment Statement in Form-V for the financial year 2024-25 is yet to be submitted. However, the Form-V for the financial year ending on 31st March 2024 was submitted online on 27.09.2024. A copy of the submitted Form-V is enclosed as Annexure-XIV. It has been uploaded on website of the company along with the status of compliance of EC conditions. Link for the same is given below: https://multiorganics.com/compliances/ec		Date: 09/05/2025
26	Statutory compliance	The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
PPs Submission: Being Complied Noted for information.		Date: 09/05/2025
27	Statutory compliance	In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
PPs Submission: Being Complied Noted and agreed.		Date: 09/05/2025
28	Statutory compliance	The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
PPs Submission: Being Complied		Date:

Noted and agreed.		09/05/2025
29	Statutory compliance	Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.
PPs Submission: Being Complied Noted and agreed.		Date: 09/05/2025
30	Statutory compliance	In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any
PPs Submission: Being Complied Noted and agreed.		Date: 09/05/2025
31	Human Health Environment	The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
PPs Submission: Complied Noted and agreed. MOPL Obtained PLI Copy same is enclosed as an Annexure-XXII.		Date: 09/05/2025
Visit Remarks		
Last Site Visit Report Date:		N/A
Additional Remarks:		
<p style="text-align: center;">Note: This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.</p>		